



X5 M50d



Twój BMW online

Link to the web configurator loaded with your configuration

Go to your configurator >

WNĘTRZE



WNĘTRZE



SZCZEGÓŁY SAMOCHODU

X5 M50d

-



MINERALWEISS METALLIC

-

-

-

A96

-



BMW

-

-

-

IND.ERW.LEDER.COFFEE(SW)

-

VAHF

WYBRANE OPCJE

-

ŁĄCZNA CENA BRUTTO

- [1]

WYPOSAŻENIE DODATKOWE



2-AXLE AIR SUSPENSION
2VR

Standard



22" M LT/A.W.DO.SP.742 M BICO. MT
1PA

Standard



ACOUSTIC COMFORT GLAZING
3KA

Standard



ACTIVE GUARD PLUS
5AQ

Standard



ACTIVE PROTECTION
5AL

Standard



ACTIVE PROTECTION FOR PEDESTRIANS
8TF

Standard



ACTIVE SEAT VENTILATION, FRONT
453

Standard



ALARM SYSTEM
302

Standard



AMBIENT LIGHT
4UR

Standard



AUT.AIR CONDITIONING 4-ZONE CONTROL
4NB

Standard




AUTOM. HIGH-BEAM HEADLIGHTS CONTROL
5AC

Standard



BMW DISPLAY KEY
3DS

Standard



BMW GESTURE CONTROL
6U8

Standard



BMW LASER LIGHT
5AZ

Standard



BMW LIVE COCKPIT PROFESSIONAL
6U3

Standard



CO2 CONTENT
1CB

Standard




COMFORT ACCESS SYSTEM
322

Standard



COMFORT SEATS, ELECTRIC. ADJUSTABLE
456

Standard



CONNECTED PACKAGE PROFESSIONAL I
6C3

Standard



CONNECTEDDRIVE SERVICES
6AK

Standard



CUPHOLDER
442

Standard



DECODING ADDITIONAL FUNCTIONS
8TR

Standard



DRIVING ASSISTANT PROFESSIONAL
5AU

Standard



EU SPECIFIC ADDITIONAL EQUIPMENT
230

Standard



EXPANDED EXTERIOR MIRROR PACKAGE
4T8

Standard



EXTERNAL SKIN PROTECTION
9AA

Standard



FINE W.TRIM FINE.STRI.BR.HIGH-GLOSS
4KR

Standard



FLOOR MATS, VELOUR
423

Standard



GLASSAPPLICATION CRAFTED CLARITY F.I
4A2

Standard



HARMAN/KARDON SURROUND SOUND SYSTEM
688

Standard



HEAD UP DISPLAY
610

Standard



HEAT KOMFORT PACKAGE FRONT
4HB

Standard



IND. INSTRUMENT FINISHED IN LEATHE
4M5

Standard



INTEGRAL ACTIVE STEERING
2VH

Standard



LANGUAGE VERSION POLISH
8A1

Standard



LED-FOG LIGHTS
5A1

Standard



LEGAL EMERGENCY CALL
6AF

Standard



LOCKING WHEEL BOLTS
2PA

Standard



LUGGAGE COMPARTMENT NET
413

Standard



M AERODYNAMICS PACKAGE
715

Standard



M ANTHRACITE HEADLINER
775

Standard



M HIGH-GLOSS SHADOW LINE
760

Standard



M LEATHER STEERING WHEEL
710

Standard



M ROOF RAILS HIGH-GLOSS SHADOW LINE
3MC

Standard



M SPORT DIFFERENTIAL
2T4

Standard



M SPORTBRAKE
2NH

Standard



M SPORTS EXHAUST SYSTEM
1MA

Standard



MASSAGE FUNCTION FOR DRIVER AND PAS
4T7

Standard



OELSERVICE INT. 25.000 KM/24 MONTHS
8KB

Standard



ORDER CONTROL FIRST DEALER CARS
999

Standard



PANORAMA GLASS ROOF SKY LOUNGE
407

Standard



PARKING ASSISTANT PLUS
5DN

Standard



POLISH / ON-BOARD DOCUMENTATION
8AT

Standard



REFRIGERANT
8R9

Standard



ROLLER SUNBLIND, REAR SIDE WINDOWS
417

Standard



SERVICE INCLUSIVE 5/100
7NH

Standard



SHIPPING PROTECTION PACKAGE
925

Standard



SOFT CLOSE AUTOMATIC SYSTEM FOR DOORS
323

Standard



SPEEDOMETER WITH KILOMETER READING
548

Standard



SPORT AUTOMATIC TRANSMISSION
2TB

Standard



SUN PROTECTION GLAZING
420

Standard



TELEPHONY WITH WIRELESS CHARGING
6NW

Standard



TELESERVICES
6AE

Standard



TRAVEL&COMFORT SYSTEM
4FL

Standard



TYRE PRESSURE INDICATOR
2VB

Standard



TYRE REPAIR KIT
2VC

Standard



WARNING TRIANGLE
428

Standard

DANE TECHNICZNE

- Moc maksymalna: 294 kW (400 KM) / 4400-4400 obr/min
 - Moment obrotowy: 760 Nm / 2000-3000 obr/min
 - Przyspieszenie 0-100 km/h: 5.2 s
 - Prędkość maksymalna: 250 km/h
 - Szerokość z lusterkami / bez lusterek: 2218 (2004) mm
 - Wysokość: 1745 mm
 - Długość: 4922 mm
 - Zwis przedni / tylny: 874 mm / 1073 mm
 - Masa własna EU (z uwzględnieniem 75kg kierowcy): 2350 kg
 - Masa własna (bez kierowcy): 2275 kg
 - Dopuszczalna masa całkowita: 3010 kg
 - Pojemność bagażnika za 2. rzędem siedzeń: 0.65 l
 - Maksymalna pojemność bagażnika: 1.87 l
 - Pojemność zbiornika: 80 l
 - Zalecany rodzaj paliwa: Diesel
 - Pojemność skokowa: 2993 cm³
 - Przełożenie układu kierowniczego: 18.7
 - Silnik: B57D30S0
 - Cylindry: 6
 - Stopień sprężania: 16:1
 - Pojemność akumulatora 12 V: 92 Ah
 - Ładowność: 735 kg
 - DMC przyczepy z hamulcem: 2700 / 2700 kg
 - DMC przyczepy bez hamulca: 750 kg
 - Obciążenie haka: 140 kg
 - Promień skrętu: 12.6 m
-

EMISJA SPALIN

EMISJA CO₂[3]

Niska	260,0 CO ₂ g/km
Średnia	220,0 CO ₂ g/km
Wysoka	198,0 CO ₂ g/km
Bardzo wysoka	233,0 CO ₂ g/km
Cykl mieszany	224,0 CO ₂ g/km

Dane wg cyklu pomiarowego WLTP

ZUŻYCIE PALIWA[2]

Niska	9,9 l/100 km
Średnia	8,4 l/100 km
Wysoka	7,6 l/100 km
Bardzo wysoka	8,8 l/100 km
Cykl mieszany	8,5 l/100 km

INFORMACJE PRAWNE

Dołożono wszelkich starań, aby zagwarantować dokładność przedstawionych informacji, ale nie przyjmuje się odpowiedzialności za ewentualne błędy lub przeoczenia.

[1] Zmiany cen i wyposażenia zastrzeżone.

[2] Zużycie paliwa w litrach na 100 km.

[3] Wskazane dane dotyczące zużycia paliwa oraz emisji CO₂ zostały ustalone na podstawie nowej procedury WLTP określonej w Rozporządzeniu (UE) 2017/1151 z dnia 1 czerwca 2017 r. uzupełniające rozporządzenie (WE) nr 715/2007 Parlamentu Europejskiego i Rady w sprawie homologacji typu pojazdów silnikowych w odniesieniu do emisji zanieczyszczeń pochodzących z lekkich pojazdów pasażerskich i użytkowych oraz w sprawie dostępu do informacji dotyczących naprawy i utrzymania pojazdów w brzmieniu obowiązującym w chwili udzielenia homologacji.
