



540i xDrive



Twój BMW online

Link to the web configurator loaded with your configuration

Go to your configurator >

WNĘTRZE




WNĘTRZE




SZCZEGÓŁY SAMOCHODU

540i xDrive -



ALPINWEISS III - - -
300 -



STOFF RHOMBICLE/ - - -
ALCAN.ANTHRAZIT -
HRAT

WYBRANE OPCJE -

ŁĄCZNA CENA BRUTTO - [1]

WYPOSAŻENIE DODATKOWE



19" M LT/A.W.DO.SP.SPOKE 664 M/MT/RF
21P

Standard



ACTIVE PROTECTION
5AL

Standard



ACTIVE PROTECTION FOR PEDESTRIANS
8TF

Standard



ADAPTIV SUSPENSION
223

Standard



ADAPTIVE LED HEADLIGHT
552

Standard



ADDITIONAL 12V POWER SOCKET
575

Standard



ALARM SYSTEM
302

Standard



AMBIENT AIR PACKAGE
4NM

Standard



AMBIENT LIGHT
4UR

Standard



AUT.AIR CONDITIONING 4-ZONE CONTROL
4NB

Standard



AUTOM. HIGH-BEAM HEADLIGHTS CONTROL
5AC

Standard



AUTOMATIC TAILGATE OPERATION
316

Standard



BLOW-BY-HEATER
4NE

Standard



BMW DISPLAY KEY
3DS

Standard



BMW GESTURE CONTROL 6U8

Standard



BMW LIVE COCKPIT PROFESSIONAL 6U3

Standard



BODY CONTROL 8EK

Standard



CO2 CONTENT 1CB

Standard



COMFORT ACCESS SYSTEM 322

Standard



CONNECTED PACKAGE PROFESSIONAL I 6C3

Standard



CONNECTEDDRIVE SERVICES 6AK

Standard



DRIVING ASSISTANT 5AS

Standard



EU SPECIFIC ADDITIONAL EQUIPMENT 230

Standard



EU6 RDE EXHAUST EMISSIONS TECHN. 1DE

Standard



EXPANDED EXTERIOR MIRROR PACKAGE 4T8

Standard



FLOOR MATS, VELOUR 423

Standard



HARMAN/KARDON SURROUND SOUND SYSTEM 688

Standard




HEAD UP DISPLAY 610

Standard



HEADLIGHT WASHER SYSTEM 502

Standard



INT.T.FIN.ALU.RHOM.W.HI.T.F.PE.CHR 4K7

Standard



INTEGRAL ACTIVE STEERING 2VH

Standard



INTELLIGENT EMERGENCY CALL 6AC

Standard



LANGUAGE VERSION POLISH 8A1

Standard



LED-FOG LIGHTS 5A1

Standard



LOCKING WHEEL BOLTS 2PA

Standard



LUMBAR SUPPORT DRIVER/FRONT PASSENGER Standard
488



M AERODYNAMICS PACKAGE Standard
715



M ANTHRACITE HEADLINER Standard
775



M HIGH-GLOSS SHADOW LINE Standard
760



M LEATHER STEERING WHEEL Standard
710



M SPORTBRAKE Standard
2NH



OELSERVICE INT. 30.000 KM/24 MONTHS Standard
8KA



PARKING ASSISTANT PLUS
5DN

Standard



POLISH / ON-BOARD DOCUMENTATION
8AT

Standard



REFRIGERANT
8R9

Standard



REPAIR INCLUSIVE 4/200
7CH

Standard



RUNFLAT TYRES
258

Standard



SEAT ADJUSTM., ELECTR. W. MEMORY
459

Standard



SEAT HEATING F DRIVER/FRONT PASSENGER
494

Standard



SELECTION COP RELEVANT VEHICLES

1CA

Standard



SERVICE INCLUSIVE 5/100

7NH

Standard



SOFT CLOSE AUTOMATIC SYSTEM FOR DOORS

323

Standard



SPEEDOMETER WITH KILOMETER READING

548

Standard



SPORT AUTOMATIC TRANSMISSION

2TB

Standard



SPORT SEATS F DRIVER/FRONT PASSENGER

481

Standard



STEERING WHEEL HEATING

248

Standard




SUN PROTECTION GLAZING 420

Standard



TELEPHONY WITH WIRELESS CHARGING 6NW

Standard



TELESERVICES 6AE

Standard



THROUGH-LOAD SYSTEM 465

Standard



TYRE PRESSURE INDICATOR 2VB

Standard



WARNING TRIANGLE 428

Standard



WIFI HOTSPOT 6WD

Standard



M SPORT PACKAGE
337

0,00 zł

DANE TECHNICZNE

- Moc maksymalna: 250 kW (340 KM) / 5500-6500 obr/min
 - Moment obrotowy: 450 Nm / 1500-5200 obr/min
 - Przyspieszenie 0-100 km/h: 4.7 s
 - Prędkość maksymalna: 250 km/h
 - Szerokość z lusterkami / bez lusterek: 2126 (1868) mm
 - Wysokość: 1479 mm
 - Długość: 4936 mm
 - Zwis przedni / tylny: 862 mm / 1099 mm
 - Masa własna EU (z uwzględnieniem 75kg kierowcy): 1765 kg
 - Masa własna (bez kierowcy): 1690 kg
 - Dopuszczalna masa całkowita: 2370 kg
 - Pojemność bagażnika: 530 l
 - Pojemność zbiornika: 68 l
 - Zalecany rodzaj paliwa: RON 95
 - Pojemność skokowa: 2998 cm³
 - Przełożenie układu kierowniczego: 14.8
 - Silnik: B58B30M1
 - Cylindry: 6
 - Stopień sprężania: 11:1
 - Pojemność akumulatora 12 V: 90 - 105 Ah
 - Ładowność: 680 kg
 - DMC przyczepy z hamulcem: 2000 / 2000 kg
 - DMC przyczepy bez hamulca: 750 kg
 - Obciążenie haka: 90 kg
 - Promień skrętu: 12.2 m
-

EMISJA SPALIN

EMISJA CO₂^[3]

Niska	281,0 CO ₂ g/km
Średnia	199,0 CO ₂ g/km
Wysoka	168,0 CO ₂ g/km
Bardzo wysoka	183,0 CO ₂ g/km
Cykl mieszany	195,0 CO ₂ g/km

Dane wg cyklu pomiarowego
WLTP

ZUŻYCIE PALIWA^[2]

Niska	12,4 l/100 km
Średnia	8,8 l/100 km
Wysoka	7,4 l/100 km
Bardzo wysoka	8,1 l/100 km
Cykl mieszany	8,6 l/100 km

INFORMACJE PRAWNE

Dołożono wszelkich starań, aby zagwarantować dokładność przedstawionych informacji, ale nie przyjmuje się odpowiedzialności za ewentualne błędy lub przeoczenia.

[1] Zmiany cen i wyposażenia zastrzeżone.

[2] Zużycie paliwa w litrach na 100 km.

[3] Wskazane dane dotyczące zużycia paliwa oraz emisji CO₂ zostały ustalone na podstawie nowej procedury WLTP określonej w Rozporządzeniu (UE) 2017/1151 z dnia 1 czerwca 2017 r. uzupełniające rozporządzenie (WE) nr 715/2007 Parlamentu Europejskiego i Rady w sprawie homologacji typu pojazdów silnikowych w odniesieniu do emisji zanieczyszczeń pochodzących z lekkich pojazdów pasażerskich i użytkowych oraz w sprawie dostępu do informacji dotyczących naprawy i utrzymania pojazdów w brzmieniu obowiązującym w chwili udzielenia homologacji.
